

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Work Order ID 141911***141911***

Page 2

February 19, 2016 1:49:14 PM

Item ID: 647.7714 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Strut Tube
Start Date: 2/19/2016 Start Qty: 20.00 ***20*** Cust Item ID:
Required Date: 3/4/2016 Req'd Qty: 20.00 ***20*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Identify as per dwg & Stock Location: <i>W/201</i>	0.00							
130						<i>20</i>	<i>0</i>	<i>163-1</i>	
Packaging	Memo	0.00							
Packaging	***Stock in large fab*** WA001								
140	QC21- Final Inspection - Work Order Release	0.00							
140						<i>MCS</i>		<i>MAR 01 2016</i>	
QC	Memo	0.03							
Quality Control									

MCS *MAR 01 2016*

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐			
Design ☐	☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐			
Doc/Data ☐	☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐			
Equip/Tooling ☐	☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐			
Handling/Pre ☐	☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐			
Material ☐	☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐			
Internal Transport ☐	☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐			
Tribal Knowledge ☐	☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐			
LOA ☐	☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐			
Substation ☐	☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐			
Past Expiry Date ☐	☐	Manufacturing Process ☐	OTHER : ☐						
Misidentified ☐	☐	Past Due ☐							

Picklist Print

February 19, 2016 1:49:20 PM

Page 1

Work Order ID: 141911

141911

Parent Item: 647.7714

647 7714

Parent Item Name: Strut Tube

Start Date: 2/19/2016

Required Date: 3/4/2016

Start Qty: 20.00

Required Qty: 20.00

Comments: IPP REV:A 15.01.07 NEW ISSUE DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M4130NT0.500W.083		Purchased			No		f	20.0000		12.63158			

M4130NT0 500W 083

4130 RD tube .500 x .083W

Location

Loc Qty

Loc Code

MAT032

20

M134001

20

11.160 3.c.-c. 16-02-26



APICAL INDUSTRIES, INC.
dba DART AEROSPACE

ENGINEERING CHANGE NOTICE NO.

05110

SHEET 1 OF 1

DWG NO. 647.7700

REV: A

PREPARED
BY

A. QUAN

DATE: 08/21/15

EFFECT ON DWG
☐ INC. ☒ UNINC.

DWG TITLE: STRUT ASSY

APPROVED BY:

ENGR

MFG

QC

EFF.

CURRENT ORDER

TRANSACTION CODES (TC):
A-ADD C-CREATE
R-REVISE D-DELETE

REASON: REVISED FINISH CALLOUT AS PER ECR 15-209

SHEET 1, NOTES IS:

ACTION: UPDATE MO & WO

NOTES:

- 1 MATERIAL: 4130 STEEL PER AMS-T-6736, .50" OD, .083" WALL THK.
- 2 MATERIAL: 4130 STEEL PER AMS-T-6736, .375" OD, .075" WALL THK.
- 3 MATERIAL: 4130 STEEL PER AMS-T-6736, .324" OD.
- 4 FINISH: PRIME IAW MIL-P-2337J TYPE I CLASS N; 1-2 MIL MAX
5. DEBURR AND BREAK ALL SHARP EDGES
6. IDENTIFY IAW MPP-120.
- 7 WELD IAW MIL-STD-2219, TIG WELD WITH FILLER ROD
- 8 FINISH: CAD PLATE IAW QQ-P-416F CLASS I TYPE II
- 9 MASK THREAD PRIOR TO FINISH

20160219


SA 141911

F/N	TC	PART NUMBER	QTY	DESCRIPTION	MATERIAL/SPECIFICATION
DOCUMENTS EFFECTED:					
☐ MDL ☐ INSTALL INSTRUCTIONS ☐ ICA ☐ FMS ☐ BOM					
CHANGE CATEGORY					
☐ MAJOR ☐ MINOR					
DER REVIEW REQUIRED					
☐ YES ☐ NO					


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

NOTES:

- 1 MATERIAL: 4130 STEEL PER AMS-T-6736, .50" OD, .083" WALL THK.
- 2 MATERIAL: 4130 STEEL PER AMS-T-6736, .375" OD, .075" WALL THK.
- 3 MATERIAL: 4130 STEEL PER AMS-T-6736, .324" OD.
- 4 FINISH: PRIME IAW MIL-P-2337J TYPE I CLASS N; 1-2 MIL MAX
- 5 DEBURR AND BREAK ALL SHARP EDGES
- 6 IDENTIFY IAW MPP-120.
- 7 WELD IAW MIL-STD-2219, TIG WELD WITH FILLER ROD
- 8 FINISH: CAD PLATE IAW MIL-C-5541 CLASS 1A
- 9 MASK THREAD PRIOR TO FINISH



REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
1	LAST PROTOTYPE REVISIONS END		
2	INITIAL RELEASE	10/02/09	P. BRAVO
3	RECORPORATED ECN 64741	11/11/11	P. BRAVO



1			5	647.7714	STRUT TUBE	△	
1	1	1	4	647.7713	STRUT THREAD	△	△
1	1	1	3	647.7712	STRUT TUBE	△	
		1	2	647.7711	STRUT TUBE	△	
		1	1	647.7710	STRUT TUBE	△	
				647.7703	STRUT ASSY		△△
				647.7702	STRUT ASSY		△△
				647.7701	STRUT ASSY		△△
7703	7702	7701	FIND #	PART #	DESCRIPTION	MATL	SPEC.
QTY				PARTS LIST			
NEXT ASSY (S)				DATE	DESIGNER	DATE	DESIGNER
647.7300				1. JACKSON	1. JACKSON	1. JACKSON	1. JACKSON
646.4000				2. BATES	2. BATES	2. BATES	2. BATES
				3. BATES	3. BATES	3. BATES	3. BATES
				4. BATES	4. BATES	4. BATES	4. BATES
				5. BATES	5. BATES	5. BATES	5. BATES
				6. BATES	6. BATES	6. BATES	6. BATES
				7. BATES	7. BATES	7. BATES	7. BATES
				8. BATES	8. BATES	8. BATES	8. BATES
				9. BATES	9. BATES	9. BATES	9. BATES
				10. BATES	10. BATES	10. BATES	10. BATES
				11. BATES	11. BATES	11. BATES	11. BATES
				12. BATES	12. BATES	12. BATES	12. BATES
				13. BATES	13. BATES	13. BATES	13. BATES
				14. BATES	14. BATES	14. BATES	14. BATES
				15. BATES	15. BATES	15. BATES	15. BATES
				16. BATES	16. BATES	16. BATES	16. BATES
				17. BATES	17. BATES	17. BATES	17. BATES
				18. BATES	18. BATES	18. BATES	18. BATES
				19. BATES	19. BATES	19. BATES	19. BATES
				20. BATES	20. BATES	20. BATES	20. BATES
				21. BATES	21. BATES	21. BATES	21. BATES
				22. BATES	22. BATES	22. BATES	22. BATES
				23. BATES	23. BATES	23. BATES	23. BATES
				24. BATES	24. BATES	24. BATES	24. BATES
				25. BATES	25. BATES	25. BATES	25. BATES
				26. BATES	26. BATES	26. BATES	26. BATES
				27. BATES	27. BATES	27. BATES	27. BATES
				28. BATES	28. BATES	28. BATES	28. BATES
				29. BATES	29. BATES	29. BATES	29. BATES
				30. BATES	30. BATES	30. BATES	30. BATES
				31. BATES	31. BATES	31. BATES	31. BATES
				32. BATES	32. BATES	32. BATES	32. BATES
				33. BATES	33. BATES	33. BATES	33. BATES
				34. BATES	34. BATES	34. BATES	34. BATES
				35. BATES	35. BATES	35. BATES	35. BATES
				36. BATES	36. BATES	36. BATES	36. BATES
				37. BATES	37. BATES	37. BATES	37. BATES
				38. BATES	38. BATES	38. BATES	38. BATES
				39. BATES	39. BATES	39. BATES	39. BATES
				40. BATES	40. BATES	40. BATES	40. BATES
				41. BATES	41. BATES	41. BATES	41. BATES
				42. BATES	42. BATES	42. BATES	42. BATES
				43. BATES	43. BATES	43. BATES	43. BATES
				44. BATES	44. BATES	44. BATES	44. BATES
				45. BATES	45. BATES	45. BATES	45. BATES
				46. BATES	46. BATES	46. BATES	46. BATES
				47. BATES	47. BATES	47. BATES	47. BATES
				48. BATES	48. BATES	48. BATES	48. BATES
				49. BATES	49. BATES	49. BATES	49. BATES
				50. BATES	50. BATES	50. BATES	50. BATES
				51. BATES	51. BATES	51. BATES	51. BATES
				52. BATES	52. BATES	52. BATES	52. BATES
				53. BATES	53. BATES	53. BATES	53. BATES
				54. BATES	54. BATES	54. BATES	54. BATES
				55. BATES	55. BATES	55. BATES	55. BATES
				56. BATES	56. BATES	56. BATES	56. BATES
				57. BATES	57. BATES	57. BATES	57. BATES
				58. BATES	58. BATES	58. BATES	58. BATES
				59. BATES	59. BATES	59. BATES	59. BATES
				60. BATES	60. BATES	60. BATES	60. BATES
				61. BATES	61. BATES	61. BATES	61. BATES
				62. BATES	62. BATES	62. BATES	62. BATES
				63. BATES	63. BATES	63. BATES	63. BATES
				64. BATES	64. BATES	64. BATES	64. BATES
				65. BATES	65. BATES	65. BATES	65. BATES
				66. BATES	66. BATES	66. BATES	66. BATES
				67. BATES	67. BATES	67. BATES	67. BATES
				68. BATES	68. BATES	68. BATES	68. BATES
				69. BATES	69. BATES	69. BATES	69. BATES
				70. BATES	70. BATES	70. BATES	70. BATES
				71. BATES	71. BATES	71. BATES	71. BATES
				72. BATES	72. BATES	72. BATES	72. BATES
				73. BATES	73. BATES	73. BATES	73. BATES
				74. BATES	74. BATES	74. BATES	74. BATES
				75. BATES	75. BATES	75. BATES	75. BATES
				76. BATES	76. BATES	76. BATES	76. BATES
				77. BATES	77. BATES	77. BATES	77. BATES
				78. BATES	78. BATES	78. BATES	78. BATES
				79. BATES	79. BATES	79. BATES	79. BATES
				80. BATES	80. BATES	80. BATES	80. BATES
				81. BATES	81. BATES	81. BATES	81. BATES
				82. BATES	82. BATES	82. BATES	82. BATES
				83. BATES	83. BATES	83. BATES	83. BATES
				84. BATES	84. BATES	84. BATES	84. BATES
				85. BATES	85. BATES	85. BATES	85. BATES
				86. BATES	86. BATES	86. BATES	86. BATES
				87. BATES	87. BATES	87. BATES	87. BATES
				88. BATES	88. BATES	88. BATES	88. BATES
				89. BATES	89. BATES	89. BATES	89. BATES
				90. BATES	90. BATES	90. BATES	90. BATES
				91. BATES	91. BATES	91. BATES	91. BATES
				92. BATES	92. BATES	92. BATES	92. BATES
				93. BATES	93. BATES	93. BATES	93. BATES
				94. BATES	94. BATES	94. BATES	94. BATES
				95. BATES	95. BATES	95. BATES	95. BATES
				96. BATES	96. BATES	96. BATES	96. BATES
				97. BATES	97. BATES	97. BATES	97. BATES
				98. BATES	98. BATES	98. BATES	98. BATES
				99. BATES	99. BATES	99. BATES	99. BATES
				100. BATES	100. BATES	100. BATES	100. BATES

APICAL INDUSTRIES









2608 TEMPLE HEIGHTS DR.
OCEANSIDE, CA. 92056-3512 (760)724-5300

STRUT ASSY


647.7700

SCALE: NONE SHEET 1 OF 2

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.



1/4 - 28 THREAD



ORIGINAL DATE 11/08/07		DESIGNED BY J. JACKSON		DRAWN BY J. JACKSON	
CHECKED BY P. BRAY		APPROVED BY P. BRAY		DATE 07/12/08	
CONTRACT NO.		CAGE CODE B		DWG. NO. 647.7700	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 1" PLATE DIMENSIONS ±.01 2" PLATE DIMENSIONS ±.005 ANGLES ±.5°		SCALE NONE		REV. A	
APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)724-5300		STRUT ASSY		SHEET 2 OF 2	

